

Article

Reducing Environmental Impacts at a Midwestern Academic Medical Center: Making Carbon Emissions Reduction a Reality

Johannah Bjorgaard ^{1,*} and Teddie Potter ² ¹ M Health Fairview, University of Minnesota, Minneapolis, MN 55455, USA² School of Nursing, Twin Cities Campus, University of Minnesota, Minneapolis, MN 55455, USA; tmpotter@umn.edu

* Correspondence: bjorg029@umn.edu; Tel.: +1-612-240-7188

Abstract: (1) Background: Human-generated greenhouse gas (GHG) emissions are the largest contributor to climate change worldwide. Climate change negatively impacts human and planetary health, threatening the existence of life on earth. The healthcare industry is responsible for approximately 8.5% of carbon emissions in the United States. Measuring baseline GHG emissions is the first step in emissions reduction. However, very few models of measurement exist for health care organizations. This project aimed to develop and implement a program to measure and track GHG emissions at a midwestern academic medical center (MAMC) and to educate staff on how to manage the process. (2) Methods: A Plan, Do, Study, Act (PDSA) cycle and Quality Improvement methodology were used to develop, implement, and assess a standardized GHG emission inventory process to measure Scope 1 and Scope 2 baseline emissions and provide virtual training and education to the accountable staff. A pre- and post-survey design was used to measure the knowledge and readiness of the staff after the implementation of the GHG inventory training. (3) Results: The GHG inventory process was validated through an external verification process, and the measurement of Scope 1 and Scope 2 baseline GHG emissions was completed and verified for accuracy through a data comparison review. The pre-post-training survey showed an increase in the knowledge and readiness of staff to maintain a GHG inventory. (4) Conclusions: This work shows the feasibility of obtaining baseline GHG emissions data at large medical centers. It represents the initial phase of the overarching goal to develop site-wide and system-wide carbon reduction strategies and a climate action plan within this health system.

Keywords: greenhouse gases; healthcare; sustainability; environmental justice; carbon emissions; hospital; climate change; quality improvement; greening; environmental stewardship; planetary health



Citation: Bjorgaard, J.; Potter, T. Reducing Environmental Impacts at a Midwestern Academic Medical Center: Making Carbon Emissions Reduction a Reality. *Challenges* **2023**, *14*, 42. <https://doi.org/10.3390/challe14040042>

Academic Editor: Manfred Max Bergman

Received: 13 September 2023

Revised: 17 October 2023

Accepted: 19 October 2023

Published: 22 October 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Climate change is destabilizing the health of our planet and has been recognized as the number one threat to public health around the globe [1,2]. It is estimated that between the years 2030 and 2050, climate change may cause an additional 250,000 deaths each year [3]. The IPCC (2022) has called for an urgent reduction in greenhouse gas (GHG) emissions to mitigate climate change [1]. Within the Alliance for Transformative Action on Climate and Health (ATACH), the United States (U.S.) is committed to implementing initiatives to develop sustainable, low-carbon, and climate-resilient health systems [4]. It is critical that healthcare systems work to reduce GHG emissions and develop climate mitigation and adaptation plans to assist the U.S. in honoring its commitment to strengthen global climate resilience.

Human activities are contributing to climate change, largely through the burning of fossil fuels. Burning fossil fuels for utilities such as heat, electricity, and transportation emits GHGs, which in turn trap heat within the Earth's atmosphere, causing planetary warming [5]. GHG emissions are measured in three scopes: Scope 1, Scope 2, and Scope 3.

Scope 1 emissions include all fossil fuels combusted on site, including fleet vehicles, anesthetic gases, and natural gas often used for heat [6]. Scope 2 emissions include purchased utilities for which the fuels are burned off-site by the supplier, such as steam and electricity [6]. Scope 3 emissions include indirect emissions such as staff commuting, procurement of supplies and equipment, pharmaceuticals and metered dose inhalers, and business travel [6].

The healthcare industry is responsible for approximately 8.5% of GHG emissions in the United States [7,8]. Furthermore, the US health sector is a major contributor to global GHG emissions, with an emissions per capita rate higher than all other industrialized nations [9]. Despite evidence of the healthcare sector's contributions to climate change, little work has been carried out to assess consumption-based emissions and understand the grave effects that pollution has on global health [8,10]. Measurement of pollution, including GHG emissions, emanating from health care settings is imperative to inform the development of mitigation and adaptation processes [10,11]. The global health care sector must decarbonize and become more sustainable to reduce its climate footprint [8,10–12].

The pilot site for this project was a midwestern academic medical center (MAMC) in the United States that the authors have intentionally left anonymous. Before this project, the pilot site had not implemented a GHG inventory process, nor had they measured baseline emissions. There were no programs in place to foster sustainability and reduce negative contributions to the environment at the MAMC. The MAMC identified an opportunity to better fulfill the organizational mission to foster longer, healthier lives through environmental stewardship through the implementation of this nurse-led initiative.

Review of Literature

Several frameworks and roadmaps are available to aid healthcare facilities in reducing their carbon footprint. The Sustainability Roadmap for Hospitals [13] and the Global Road Map for Health Care Decarbonization [14] provide numerous strategies to develop more sustainable healthcare facilities. Reducing GHG emissions begins with measuring baseline emissions and developing an inventory or tracking process to monitor reduction efforts [15,16]. Resources such as the Simplified Guide to Greenhouse Gas Management for Organizations [15] and The Greenhouse Gas Protocol, Corporate Standard [15,17] provide background and standards for developing processes to measure and track GHG emissions. These evidence-based tools were integrated into the planning, implementation, and assessment of this quality improvement project.

The Nursing Ecological Theory [18], the Ethical Framework of Social Responsibility [19], and the Planetary Health Education Framework [20] were woven throughout this nursing innovation. These theories aligned with the aim of this project, combining theories that focus on nursing, social justice, and planetary health.

Nurses are bound within their Code of Ethics [21] to advocate for policies and activities within the healthcare setting and community to maintain, sustain, and repair the natural world. Studies have been conducted to develop an understanding of healthcare professionals' attitudes towards their ethical responsibility to address climate change, which show that though healthcare professionals feel called to address climate change, they face barriers to doing so [22,23]. It is important to develop an understanding of barriers and enablers for nurses and other health professionals addressing climate change to inform structural, organizational, and policy change [22,23]. These three frameworks inform this nursing for planetary health quality improvement project (see Figure 1).

In addition, the Institute for Healthcare Improvement (IHI) QI PDSA framework [24,25] and the Lean Six Sigma (LSS) process improvement framework [26,27] were used to plan and implement this project. The methodological LSS framework uses the DMAIC process: Define, Measure, Analyze, Improve, and Control to guide process improvement and the sustainability of QI initiatives. The LSS framework has proven effective in increasing efficiency and improving quality in the healthcare setting [28]. This QI project represents a smaller project within a larger LSS Black Belt QI project aimed at reducing GHG emissions.




Figure 1. Theoretical frameworks to support this nurse-led health system and the Planetary Health Initiative.

The goal of this project was to develop a highly effective program to measure and mitigate GHGs produced by the MAMC. The objectives for the project included measuring baseline emissions, developing a standardized process for maintaining a GHG inventory, conducting an energy audit, and providing training on the GHG inventory process to the project team, who will be accountable for maintaining the process. This project represented the initial phase of the MAMC's overarching aim to decrease the organization's GHG emissions from electrical sources by 10% from baseline by December 2022. The goal was to develop a practical plan to incrementally reduce GHG emissions, with the overarching goal beyond the scope of this project being to reduce the inequitable impacts of climate change on patients, employees, and the community.

There is evidence available of comparable projects and studies aimed at developing standard programs for measuring healthcare-based GHG emissions [6,29]. However, these studies used an alternative methodology to calculate emissions based on financial data. Financial data was converted into standard units, and emissions were calculated using cost-based emission factors [6,29]. Both studies note that a hybrid approach is appropriate, with the cost-based approach being most useful to quantify Scope 3 emissions [6,29].

2. Materials and Methods

2.1. Setting

The MAMC comprises two large adult hospital campuses and one children's hospital. The academic medical center is affiliated with a local university and is partially located on the university campus. The medical center is in an urban area of a mid-sized Midwestern city. It is situated among low-income communities and serves a diverse population. The MAMC is one unit of a larger healthcare system that includes ten hospitals and 60 clinics and surgery centers across the state.

2.2. Interventions

Project interventions were developed using current scientific, evidence-based, and reliable expert resources such as the Environmental Protection Agency [15,30] and the Intergovernmental Panel on Climate Change [1]. A process was developed to measure Scope 1 and Scope 2 baseline GHG emissions and measure and track emissions continuously

at the MAMC using the EPA's Lean and Energy Toolkit [31] and the Greenhouse Gas Protocol Corporate Accounting and Reporting Standard [17].

After the process was developed, the project director hosted a required virtual education session to teach the accountable staff and project team the process of maintaining the GHG inventory [17]. At the end of the project, an energy audit and goal setting were performed in collaboration with the project team and an energy efficiency subject matter expert (SME) to identify and develop goals for reducing emissions. This reduction plan would not have been possible without a way to measure GHGs in place.

2.2.1. GHG Emission Assessment/Measurement

Baseline data was collected, and from this, a directory was developed with emissions sources, data sources, and contact persons for continuous data collection. To provide a quantified annual emission baseline, 2021 was selected as the baseline year from which to compare emissions moving forward and track GHG reduction efforts over time.

2.2.2. Data Included

- Electricity, steam, and natural gas data were collected directly from the utility providers in the form of usage statements.
- Anesthetic gas data was collected from the MAMC's Pharmacy Compliance Monitoring and Audit Supervisor.
- Refrigerant replacement data was collected from dated invoices showing the type of refrigerant and the volume replaced.
- An electronic report of fleet vehicle fuel usage data was shared by MAMC's Supply Chain Logistics Specialist.

The EPA's Simplified Emissions Greenhouse Gas Calculator (SEGHGC) was used as the initial calculation tool to inventory GHG emissions for this project [15]. This Excel spreadsheet tool automatically calculates emissions using built-in formulas and emissions factors. The SEGHCC was modified to be individualized for the MAMC. For example, the SEGHGC template did not include guidance, formulas, or calculations for anesthetic gas. Therefore, MAMC's individualized GHG inventory was modified to include a worksheet with built-in formulas for calculating emissions from anesthetic gas usage, which was developed by the project director and validated by an outside sustainability consultant.

The project director created a 36-page emissions inventory that includes an introduction, summary, boundary guidelines, common conversions, and emissions factors, and twelve pages to track Scope 1, Scope 2, and Scope 3 emissions. Five different sections for sources of Scope 1 and Scope 2 GHG emissions were completed for this project. These include stationary combustion, fleet vehicles, refrigerants, anesthetic gas, electricity, and steam. Each source has its own worksheet and guidelines for completion. Scope 3 emissions are included for future phases of this program.

2.2.3. Education

During the project, the project team, which consisted of quality improvement professionals, facilities and engineering professionals, and executive leaders at this health system, attended three presentations where the nurse project director provided background and education on planetary health, climate change, and environmental sustainability. One virtual training session was conducted for accountable staff ($N = 5$, 100%) to teach the GHG emissions inventory process. During this two-hour training session, the project director conducted a virtual tour of the shared electronic directory, where all data and GHG inventory documents are accessed and stored within the organization. The project director then described and demonstrated the GHG inventory process using teach-back to confirm attendees' understanding. Time was allowed for attendees to ask clarifying questions, and the project director answered questions and provided additional instruction. All attendees completed pre- and post-surveys. Surveys were analyzed to understand and measure the outcomes of the training.

2.2.4. Energy Audit and Goal Development

The project director organized, facilitated, and led an energy audit with the participation of the transdisciplinary project team. An Energy Smart specialist attended the audit and provided guidance and recommendations. This service is offered through the state Chamber of Commerce and is free of charge for organizations that utilize local utility service providers [32]. The audit consisted of two in-person meetings, a tour of the MAMC buildings to identify energy-saving opportunities, a utility bill analysis to understand the facility's energy usage and patterns, and multiple follow-up discussions through virtual meetings and email. Opportunities for grants and funding assistance were identified during the audit process, and short-, medium-, and long-term goals were developed to reduce emissions.

2.2.5. Measurement of Employee Knowledge

The eleven-item pre-intervention survey consisted of 10 quantitative and one qualitative item. The survey measured the group's existing knowledge of GHG accounting, their understanding of GHG scopes, and their feelings and perceptions around environmental sustainability and climate change. A post-intervention survey was conducted, including the same questions as the pre-survey and five additional questions.

2.3. Ethical Considerations

Human subjects' protection was reviewed using the online Institutional Review Board (IRB) determination tool developed by the University of Minnesota. This project was designated as a Quality Assurance (QA)/QI project and did not meet the federal definition of human subject research. No additional IRB was required for this QI initiative.

3. Results

3.1. GHG Emissions Assessment/Measurement

Greenhouse gas emissions were measured using the associated emissions factor for each emissions source. Emissions were calculated using calculation formulas within the GHG inventory spreadsheet [15]. The MAMC's individualized GHG inventory was validated by means of a thorough review conducted by an outside sustainability consultant. Emissions were measured using 2021 as the baseline year. Additionally, emissions were calculated for January–October 2022 for comparison (see Table 1).

Table 1. Summary of MAMC emissions.

Emissions Type	2021	2022	CO2e Emissions
Scope 1 Emissions			
Stationary Combustion	224	185	CO2-e (MT)
Mobile Sources	345	345	CO2-e (MT)
Refrigeration/ AC Equipment Use	57	57	CO2-e (MT)
Anesthetic Gases	92	60	CO2-e (MT)
Location-Based Scope 2 Emissions			
Purchased and Consumed Electricity	15,617	13,329	CO2-e (MT)
Purchased and Consumed Steam	12,220	10,927	CO2-e (MT)
Market-Based Scope 2 Emissions			
Purchased and Consumed Electricity	8963	7650	CO2-e (MT)
Purchased and Consumed Steam	12,220	10,927	CO2-e (MT)
Total Scope 1 and Location-Based Scope 2	28,462	24,842	CO2-e (MT)
Total Scope 1 and Market-Based Scope 2	21,808	19,164	CO2-e (MT)

3.2. Education

A total of five ($N = 5$) project team members received the GHG inventory education intervention and completed both the pre- and post-presentation surveys. The participants

included in the training will be directly accountable for maintaining the GHG inventory process at the MAMC, with the nurse project director as a resource.

3.3. Data Analysis

Survey data were obtained using an electronic survey that was distributed by QR code and hyperlink. The nurse project director entered survey data into an Excel spreadsheet and conducted scoring of qualitative and quantitative data. Qualitative responses were tracked in an Excel spreadsheet and summarized in descriptive statistics such as percentages in Tables 2 and 3.

Table 2. Qualitative responses to pre- and post-survey item 8.

Item 8. What Are the Organizational Barriers to Developing and Maintaining a GHG Inventory?	
Pre-survey answers	Post-Survey Answers
<ul style="list-style-type: none"> • “Time” • “Time and manpower” • “We need a sustainability expert to guide this work. We currently do not have this.” • “Manpower and high regulatory standards make change difficult” • “Resources” 	<ul style="list-style-type: none"> • “None” • “Time and staff” • “We need a committed person whose sole work is this” • “Energy meters” • “I do not believe we have barriers”

Table 3. Comparison of pre- and post-survey quantitative items 1, 5, 6, and 7.

Survey Item	Pre-%	Post-%
1. How do you rate your knowledge of greenhouse gases (GHG)?		
None	0	0
Very little	50	20
Moderate	50	80
Very knowledgeable	0	0
5. How do you rate your experience with GHG accounting/maintaining a GHG inventory?		
None	0	0
Beginner	100	80
Moderate	0	20
Expert	0	0
6. From your perspective, how important is it that the MAMC maintain an inventory of GHG to monitor emissions?		
Extremely important	60	40
Somewhat important	20	60
Neutral	0	0
Somewhat not important	0	0
Extremely not important	20	0
7. From your perspective, how important is it that the MAMC strives to reduce GHG emissions?		
Extremely important	50	40
Somewhat important	25	60
Neutral	0	0
Somewhat not important	0	0
Extremely not important	25	0

3.4. Pre-Intervention

The pre-intervention survey occurred two weeks prior to the GHG inventory process and virtual training. Survey items 1–11 were the same for the pre- and post-surveys (see Table 4). Of the training group, two of the four participants were able to accurately select the sources of Scope 1 emissions from the multiple-choice options. Scope 2 emissions sources were correctly identified by three of the four participants in the group. Three of the

four participants in the training group correctly identified Scope 3 emissions sources. All four participants in the training group rated their level of experience with GHG accounting as *beginners*. Attendees were asked, “From your perspective, how important is it that the MAMC strives to reduce GHG emissions?” Two of the four participants answered [extremely] important, one of the four participants answered [somewhat] important, and one of the four participants answered [extremely] unimportant.

Table 4. Pre- and post-intervention survey. Note: $N = 5$.

Survey Items
1. How do you rate your knowledge about greenhouse gases (GHG)?
2. Scope 1 emissions include ____?
3. Scope 2 emissions include ____?
4. Scope 3 emissions include ____?
5. How do you rate your experience with GHG accounting/maintaining a GHG inventory?
6. From your perspective, how important is it that the MAMC maintain an inventory of GHG to monitor emissions?
7. From your perspective, how important is it that the MAMC strives to reduce GHG emissions?
8. What are the organizational barriers to developing and maintaining a GHG inventory?
9. GHGs contribute to climate change, which negatively impacts human health. T/F
10. Developing a sustainability program at the MAMC is...?
11. Which answer best describes how you feel about learning about GHG emissions and having the GHG inventory process be part of your work?

The training group was asked, “What are the organizational barriers to developing and maintaining a GHG inventory”? to which one stated, “Manpower and high regulatory standards make change difficult”, and another stated, “We need a sustainability expert to guide this work. We currently do not have this”. One hundred percent of the group selected *true* from the multiple-choice options: true, false, or not sure when asked if GHG emissions contribute to climate change and negatively impact human health.

Developing a sustainability program at the MAMC was identified as important by five of the five participants in the training group. Lastly, the group was asked to rate how they feel about learning about GHG emissions and having the GHG emissions inventory process as part of their work. Two of the five participants reported that they were indifferent, while three participants reported that they felt excited.

3.5. Post-Intervention

The post-intervention survey was conducted after the GHG inventory training intervention. Items 12–16 were included on the post-intervention survey only (see Table 5). The survey was sent immediately after the training, and attendees were given one week to complete the survey. One of the five participants in the training group rated their knowledge about GHG emissions as very little, while four of the five participants rated their knowledge as moderate. The group was asked to rate their experience with GHG accounting and maintaining a GHG inventory. Four of the five participants self-identified their level of experience as beginner, and one of the five participants identified their level of experience as moderate. Two of the five participants felt that it was extremely important that the MAMC maintain an inventory of GHG emissions, while three of the five participants felt that it was somewhat important. Attendees were asked to select true, false, or unsure when asked if GHG emissions contribute to climate change, which negatively impacts human health, and all five participants in the training group answered that this is true.

Table 5. Additional Post-Intervention Only Survey Items.

1.	How do you rate your readiness to maintain the GHG inventory process after receiving training?
2.	After receiving training on the GHG inventory process, how prepared do you feel to teach the process to others?
3.	After participating in the Reducing GHG Emission project, can you identify two methods to begin reducing GHG emissions at the organization?
4.	Please list 2 ways that we can reduce GHG emissions at our organization.
5.	How has your understanding of the links between GHG emissions, climate change, and human health grown?

The additional post-survey items aimed to measure the effectiveness of the training in preparing the group to maintain the GHG inventory process. The group was asked to rate their readiness to maintain the GHG inventory process after receiving training; four of the five participants felt confident, while one participant did not feel confident. When asked, “How prepared do you feel to teach the GHG inventory process to others?”, one of the five participants felt unprepared, while four of the five participants felt prepared. All five participants in the group were able to identify two methods to reduce GHG emissions at the MAMC after attending the training (see Table 6). Finally, the training group was asked how their understanding of the links between GHG emissions, climate change, and human health has changed after their participation in this project and the associated training. Two of the five participants said that their understanding has grown a little, and three of the five participants said that their understanding has grown a lot.

Table 6. Qualitative Responses to Post-Survey Only Item 15.

Item 15. List 2 Ways That We Can Reduce GHG Emissions at Our Organization.
<ul style="list-style-type: none"> • “LED light bulbs, better recycling” <ul style="list-style-type: none"> • “LED lighting, solar” • “LED lights, alternative fuels for vehicles” <ul style="list-style-type: none"> • “Reduction of electrical and gas” • “For an immediate impact transition to LED lighting and community-based solar”

3.6. Pre-Post-Intervention Comparison

Comparing pre- and post-survey results, 100% (N = 5) of the group identified barriers to developing and maintaining a GHG inventory pre-intervention, while two of the five participants felt there were no barriers to this after attending the training. The training group was asked to identify the sources of Scope 1, Scope 2, and Scope 3 emissions (see Figure 2). Scope 1 emissions include company facilities, fuels burned on site, and fleet vehicles. Scope 2 emissions include purchased electricity, steam, heating, and cooling. Scope 3 emissions include business travel, purchased goods, and services. Four of the five participants were able to correctly identify the sources of Scope 1 and 2 emissions, and all five participants were able to correctly identify the sources of Scope 3 emissions after the training.

Survey item 6 shows a shift in the project team’s perspective regarding the importance of monitoring GHG emissions at the MAMC (see Table 3). Pre-survey results showed that two of the four participants felt that it was [extremely] important, one participant felt that it was somewhat important, and one participant felt that it was [extremely] unimportant to monitor GHG emissions at the MAMC. In contrast, the post-survey findings showed that two of the five participants felt that it was [extremely] important, and three of the five participants felt that it was [somewhat] important to monitor GHG emissions at the MAMC. While one team member shifted from feeling that it is extremely important to somewhat important to monitor GHG emissions, the post-survey results showed that through this

initiative, all project team members were convinced that it is at least somewhat important to monitor GHG emissions at the MAMC.




Figure 2. Comparison of pre- and post-survey responses.

Similarly, there was a shift in the perspective of team members on survey item 7 (see Table 3). The pre-survey results showed that two of the four participants felt that it was [extremely] important, one of the four participants felt that it was [somewhat] important, and one participant felt that it was [extremely] unimportant to strive to reduce GHG emissions at the MAMC. Post-survey results showed that two of five participants felt that it was [extremely] important, and three participants felt that it was [somewhat] important to strive to reduce GHG emissions. While the N size differs from the pre-post-survey for this question, one team member's perspective changed from [extremely] unimportant to [somewhat] important to strive to reduce GHG emissions because of this project.

3.7. Limitations

1. There are some notable limitations to this QI project. First, the sample size is not large enough to be a representative sample. This project was designed as a QI pilot for the MAMC site within a large health system, and so the accountable team of staff at the specific site was only five employees. Second, this QI project represents the first phase of a large-scale project aimed at reducing GHG emissions, so the efficacy of the GHG inventory cannot be totally measured at this stage of the project.
2. The virtual training platform used for the education intervention introduced some limitations, such as the opportunity for attendees to practice data entry into the GHG inventory in real time. To remove some of these limitations, the project should be expanded across sites, involve more participants, and extend the length of the project to measure reductions in GHG emissions over time.

4. Discussion

The overarching goal of this project was to influence one healthcare system to prepare and adapt to the current and coming effects of climate change through a nurse-led initiative. This project has laid the groundwork for further climate resilience initiatives at the MAMC.

There are barriers that the MAMC must overcome to be successful and urgently reduce its environmental footprint. Through interviews with the project team and qualitative data analysis, it is evident that a lack of time, designated staff, and leadership are barriers to embedding environmental sustainability into the core mission of this health system.

A step-by-step, standardized procedure to track GHG emissions was developed during this QI project and has been implemented at the MAMC. The MAMC is in the process of integrating the procedure document into the electronic policy database to make it available to all employees' systems. The MAMC has committed to implementing this procedure across the other ten hospitals in the health system, though training and assigning accountable staff to do the work are yet to come. As part of the overarching QI project, statistical analysis of emissions data and carbon reduction strategies was performed. The MAMC has been presented with a practical plan to reduce emissions. By investing about \$500,000 to implement a combination of improvement methods such as wind-sourced energy, solar power, and LED lighting, the MAMC can reduce their GHG emissions by 2133 MT of CO₂ per year, have substantial yearly cost savings, and save an estimated 3.5 million dollars over 30 years.

1. Executive leaders and the accountable FD staff were presented with the results of this statistical analysis and predictive modeling. The organization made a commitment through executive sponsorship of this LSS Black Belt project to implement some improvement measures. The project owner is in the process of developing an implementation plan and leading continued discussions to determine the improvement methods that will be approved for implementation by the project's executive sponsor. The next steps are to implement improvements, continue to collect and analyze data, measure the success of the improvement methods, and develop and implement a control plan.
2. Unexpected but propitious outcomes were the high level of engagement and interest of employees across the organization seeking to learn more about this project and the status of climate readiness at the MAMC. A movement has developed, and employees from across disciplines are seeking knowledge about the organization's limited portfolio of environmental sustainability initiatives. Employees and community members are expressing curiosity about how climate action and environmental stewardship can be integrated into the health system's core mission, vision, and values in a tangible way.

5. Conclusions

The MAMC and its encompassing health system have many strengths, such as their partnership with the local university and highly engaged staff and community members, who have the potential to aid in promoting climate mitigation and adaptation throughout the organization. To maximize these strengths to their fullest potential, the health system must undergo systems change to transform its culture into one that adopts a deep social responsibility to care for global ecosystems and educates and calls all stakeholders to address climate change. For healthcare organizations to shift their culture and make the most impact in reducing their environmental footprint to mitigate and adapt to climate change and safeguard the health of life on earth, it will be essential to understand and integrate the key concepts, theories, and frameworks presented in this manuscript.

Author Contributions: Conceptualization, J.B.; Investigation, J.B.; Writing—original draft, J.B.; Writing—review & editing, J.B. and T.P.; Supervision, T.P.; Funding acquisition, J.B. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Data Availability Statement: The data presented in this study are available on request from the corresponding author.

Acknowledgments: The author acknowledges Paul Hodges, Director of Quality Improvement at M Health Fairview.

Conflicts of Interest: The authors declare no conflict of interest.

References

- Intergovernmental Panel on Climate Change. Climate Change 2022: Mitigation of Climate Change. 2022. Available online: <https://www.ipcc.ch/report/ar6/wg3/> (accessed on 1 March 2022).
- Atwoli, L.; Baqui, A.H.; Benfield, T.; Bosurgi, R.; Godlee, F.; Hancocks, S.; Horton, R.; Laybourn-Langton, L.; Monteiro, C.A.; Norman, I.; et al. Call for emergency action to limit global temperature increases, restore biodiversity, and protect health. *N. Engl. J. Med.* **2021**, *385*, 1134–1137. [[CrossRef](#)] [[PubMed](#)]
- World Health Organization. COP26 Special Report on Climate Change and Health: The Health Argument for Climate Action. 2021. Available online: <https://www.who.int/publications/i/item/9789240036727> (accessed on 1 September 2022).
- World Health Organization. Alliance for Transformative Action on Climate and Health. 2021. Available online: <https://www.who.int/initiatives/alliance-for-transformative-action-on-climate-and-health/cop26-health-programme> (accessed on 1 September 2022).
- U.S. Environmental protection Agency. Sources of Greenhouse Gas Emissions. 2023. Available online: <https://www.epa.gov/ghgemissions/sources-greenhouse-gas-emissions> (accessed on 1 March 2022).
- Tennison, I.; Roschnik, S.; Ashby, B.; Boyd, R.; Hamilton, I.; Oreszczyn, T.; Owen, A.; Romanello, M.; Ruysevelt, P.; Sherman, J.D.; et al. Health care’s response to climate change: A carbon footprint assessment of the NHS in England. *Lancet Planet. Health* **2021**, *5*, e84–e92. [[CrossRef](#)] [[PubMed](#)]
- Dzau, V.J.; Levine, R.; Barrett, G.; Witty, A. Decarbonizing the U.S. health sector—A call to action. *N. Engl. J. Med.* **2021**, *385*, 2117–2119. [[CrossRef](#)] [[PubMed](#)]
- Alwis, A.; Limaye, S. The Costs of Inaction: The Economic Burden of Fossil Fuels and Climate Change on Health in the United States. The Medical Society Consortium on Climate & Health; Natural Resources Defense Council. 2021. Available online: <https://www.nrdc.org/sites/default/files/costs-inaction-burden-health-report.pdf> (accessed on 1 October 2022).
- Silva, L.; Wood, M.; Johnson, B.; Coughlan, M.; Brinton, H.; McGuire, K.; Bridgham, S. A generalizable framework for enhanced natural climate solutions. *Plant Soil* **2022**, *479*, 3–24. [[CrossRef](#)]
- Eckelman, M.J.; Sherman, J. Environmental impacts of the U.S. health care system and effects on public health. *PLoS ONE* **2016**, *11*, e0157014. [[CrossRef](#)] [[PubMed](#)]
- Healthcare Without Harm. Health Care’s Climate Footprint: How the Health Sector Contributes to the Global Climate Crisis and Opportunities for Action. Green Paper Number One 2019. Available online: https://noharm-global.org/sites/default/files/documentsfiles/5961/HealthCaresClimateFootprint_092319.pdf (accessed on 15 June 2022).
- Salas, R.N.; Maibach, E.; Pencheon, D.; Watts, N.; Frumkin, H. A pathway to net zero emissions for healthcare. *BMJ* **2020**, *371*, m3785. [[CrossRef](#)] [[PubMed](#)]
- American Hospital Association. Sustainability Roadmap for Hospitals: A Guide to Achieving your Sustainability Goals. 2015. Available online: <http://www.sustainabilityroadmap.org/about/briefguide.shtml#.Y4QT8VrMKUk> (accessed on 15 July 2022).
- Healthcare Without Harm. Global Roadmap for Healthcare Decarbonization. 2021. Available online: <https://healthcareclimateaction.org/sites/default/files/2021-04/HCW%20Road%20Map%20for%20Health%20Care%20Decarbonization%20-%20Introduction.pdf> (accessed on 12 July 2022).
- U.S. Environmental Protection Agency. Guide to Greenhouse Gas Management for Small Business and Low Emitters. 2020. Guide to Greenhouse Gas Management for Small Business & Low Emitters. 2020. Available online: https://www.epa.gov/sites/default/files/2017-01/documents/guide_to_greenhouse_gas_management_for_small_business_low_emitters.pdf (accessed on 1 July 2022).
- Practice Green Health. Addressing Climate Change in the Health Care Setting: Opportunities for Action. Available online: <https://practicegreenhealth.org/sites/default/files/pubs/epp/ClimateChange.pdf> (accessed on 10 May 2022).
- Greenhouse Gas Protocol. The Greenhouse Gas Protocol: A Corporate Accounting and Reporting Standard. 2004. Available online: <https://ghgprotocol.org/sites/default/files/standards/ghg-protocol-revised.pdf> (accessed on 1 September 2022).
- Laustsen, G. Environment, ecosystems, and ecological behavior: A dialogue toward developing nursing ecological theory. *Adv. Nurs. Sci.* **2006**, *29*, 43–54. [[CrossRef](#)] [[PubMed](#)]
- Tyer-Viola, L.; Nicholas, P.; Corless, I.; Barry, D.; Hoyt, P.; Fitzpatrick, J.; Davis, S. Social responsibility of nursing: A global perspective. *Policy Politics Nurs. Pract.* **2009**, *10*, 110–118. [[CrossRef](#)] [[PubMed](#)]
- Guzmán, C.; Aguirre, A.; Astle, B.; Barros, E.; Bayles, B.; Chimbari, M.; El-Abbadi, N.; Evert, J.; Hackett, F.; Howard, C.; et al. The Planetary Health Education Framework. The Planetary Health Alliance. 2021. Available online: <https://www.planetaryhealthalliance.org/education-framework> (accessed on 1 April 2022).
- American Nurses Association. *Code of Ethics for Nurses with Interpretive Statements*; American Nurses Publishing: Silver Spring, MD, USA, 2015.
- Quitman, C.; Rainer, S.; Danquah, I.; Herrman, A. Reducing the carbon footprint of a German university hospital: Perspectives from hospital stakeholders. *J. Clim. Chang. Health* **2023**, *12*, 100247. [[CrossRef](#)]

23. Quitmann, C.; Sauerborn, R.; Danquah, I.; Herrmann, A. Climate change mitigation is a hot topic, but not when it comes to hospitals': A qualitative study on hospital stakeholders' perception and sense of responsibility for greenhouse gas emissions. *J. Med. Ethics* **2023**, *49*, 204–210. [[CrossRef](#)] [[PubMed](#)]
24. Institute for Healthcare Improvement. Plan-Do-Study-Act (PDSA) Worksheet. 2022. Available online: <https://www.ihf.org/resources/Pages/Tools/PlanDoStudyActWorksheet.aspx> (accessed on 1 May 2022).
25. Institute for Healthcare Improvement. The IHI Triple Aim. 2022. Available online: <https://www.ihf.org/Engage/Initiatives/TripleAim/Pages/default.aspx> (accessed on 15 June 2022).
26. Mortimer, F.; Isherwood, J.; Wilkinson, A.; Vaux, E. Sustainability in quality improvement: Redefining value. *Future Healthc. J.* **2018**, *5*, 88–93. [[CrossRef](#)] [[PubMed](#)]
27. Kubiak, T.; Benbow, D. *The Certified Six Sigma Black Belt Handbook*, 3rd ed.; American Association for Quality, Quality Press: Milwaukee, WI, USA, 2017.
28. Ahmed, S.; Manaf, N.H.; Islam, R. Effects of lean six sigma application in healthcare services: A literature review. *Rev. Environ. Health* **2013**, *28*, 189–194. [[CrossRef](#)] [[PubMed](#)]
29. Keil, M. The greenhouse gas emissions of a German hospital—A case study of an easy-to-use approach based on financial data. *Clean. Environ. Syst.* **2023**, *11*, 100140. [[CrossRef](#)]
30. U.S. Environmental Protection Agency. Climate Change and Social Vulnerability in the United States: A Focus on Six Impacts. 2021. Available online: https://www.epa.gov/system/files/documents/2021-09/climate-vulnerability_september-2021_508.pdf (accessed on 10 April 2022).
31. U.S. Environmental Protection Agency. Lean and Energy Toolkit. Lean & Energy Toolkit: Contents & Acknowledgements | US EPA. 2021. Available online: <https://nepis.epa.gov/Exe/tiff2png.cgi/P1001XIJ.PNG?-r+75+-g+7+D%3A%5CZYFILES%5CINDEX%20DATA%5C06THRU10%5CTIFF%5C00000264%5CP1001XIJ.TIF> (accessed on 1 July 2022).
32. Minnesota Chamber of Commerce. Energy Smart. Available online: <https://www.mnchamber.com/your-opportunity/energy-smart> (accessed on 1 May 2022).

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.