

Supplementary Materials

Human Teeth-Derived Bioceramics for Improved Bone Regeneration

Ki-Taek Lim ^{1,*†}, Dinesh K. Patel ^{1,†}, Sayan Deb Dutta ¹, Han-Wool Choung ², Hexiu Jin ³, Arjak Bhattacharjee ⁴ and Jong Hoon Chung ^{5,*}

¹ Department of Biosystems Engineering, Kangwon National University, Chuncheon 24341, Korea; dbhu10@gmail.com (D.K.P.); sayan91dutta@gmail.com (S.D.D.)

² Department of Oral and Maxillofacial Surgery and Dental Research Institute, School of Dentistry, Seoul National University, Seoul 151921, Korea; woolmania@naver.com

³ Department of Plastic and Traumatic Surgery, School of Stomatology, Beijing Stomatological Hospital, Capital Medical University, Beijing 100069, China; hyuksoo725@daum.net

⁴ Department of Materials Science and Engineering, Indian Institute of Technology, Kanpur 208016, India; arjak.ceramic16@gmail.com

⁵ Department of Biosystems and Biomaterials Science and Engineering, Seoul National University, Seoul 151921, Korea

[†] These authors contributed equally to the paper.

* Correspondence: ktlim@kangwon.ac.kr (K.-T.L.); jchung@snu.ac.kr (J.H.C.)

Table S1. The chemical compositions of the SBF solution used in this study.

Reagent	Amount (g/L)
NaCl	6.547
NaHCO ₃	2.268
KCl	0.373
Na ₂ HPO ₄ ·2H ₂ O	0.178
MgCl ₂ ·6H ₂ O	0.305
CaCl ₂ ·2H ₂ O	0.368
Na ₂ SO ₄	0.071
(CH ₃ OH) ₃ CNH ₂	6.057