

Supplementary Material 1

High gas sensitivity to nitrogen dioxide of nanocomposite ZnO-SnO₂ films activated by a surface electric field

Victor V. Petrov^{*1}, Aleksandra P. Ivanishcheva¹, Maria G. Volkova², Viktoriya Yu. Storozhenko², Irina A. Gulyaeva¹, Ilya V. Pankov³, Vadim A. Volochaev³, Soslan A. Khubezhov^{4,5,6}, Ekaterina M. Bayan²

High Gas Sensitivity to Nitrogen Dioxide of Nanocomposite ZnO-SnO₂ Films Activated by a Surface Electric Field

Victor V. Petrov ^{1,*}, Alexandra P. Ivanishcheva ^{1,*}, Maria G. Volkova ², Viktoriya Yu. Storozhenko ², Irina A. Gulyaeva ¹, Ilya V. Pankov ³, Vadim A. Volochaev ³, Soslan A. Khubezhov ^{4,5,6} and Ekaterina M. Bayan ²

¹ Institute of Nanotechnologies, Electronics, and Equipment Engineering, Southern Federal University, 347928 Taganrog, Russia; a.starnikova@mail.ru (A.P.I.); tenirka@mail.ru (I.A.G.)

² Department of Chemistry, Southern Federal University, 344090 Rostov-on-Don, Russia; mvol@sfedu.ru (M.G.V.); viktoriastorojenko@gmail.com (V.Y.S.); ekbayan@sfedu.ru (E.M.B.)

³ Institute of Physical and Organic Chemistry, Southern Federal University, Stachki Av. 194/2, 344090 Rostov-on-Don, Russia; ipankov@sfedu.ru (I.V.P.); vvolochaev@sfedu.ru (V.A.V.)

⁴ Research Laboratory of Functional Nanomaterials Technology, Southern Federal University, 347922 Shevchenko St. 2, 344006 Taganrog, Russia; soslan.khubezhov@metalab.ifmo.ru

⁵ Department of Nanophotonics and Metamaterials, ITMO University, 197101 St. Petersburg, Russia

⁶ Department of Physics, North-Ossetian State University, Vatutina Str. 46, 362025 Vladikavkaz, Russia

* Correspondence: vvpetrov@sfedu.ru (V.V.P.); a.starnikova@mail.ru (A.P.I.); Tel.: +7-863-437-1624 (V.V.P.)




Figure S1. The XPS spectra of pure zinc and its oxide.




Figure S2. Distribution of the surface potential on the film surface 0.5ZnO.