



Editorial Synthesis and Applications of Optical Materials

Seung-Min Park¹ and Bong-Hyun Jun^{2,*}

- ¹ Department of Urology, Department of Radiology, Molecular Imaging Program at Stanford, Stanford University School of Medicine, Stanford, CA 94305, USA
- ² Department of Bioscience and Biotechnology, Konkuk University, Seoul 143-701, Republic of Korea
- * Correspondence: bjun@konkuk.ac.kr

As optical materials have shown outstanding physical and chemical characteristics in the bio, medical, electronics, energy and related fields of studies, the potential benefits of using these materials have been widely recognized [1,2]. Thus, research on many applications has been conducted using many optical materials of various shapes and compositions. This Special Issue aims to provide a range of original contributions detailing the synthesis and application of optical materials.

Our Special Issue spans optical materials that exhibit a variety of unique characteristics, including plasmonic nanomaterials, quantum dots, and carbon materials. It also includes the applications that use optical properties. This Special Issue provides eleven outstanding papers in the development of synthesis and application of optical materials.

Quantum dots (QDs) have attracted a great deal of attention in a wide range of fields related to electronics, optics, biosystems, and materials synthesis thanks to various properties distinct from conventional fluorescent dyes [3–6]. Development of highly luminescent QDs is very helpful in efficient biological use [7]. Chang et al. reported improved characteristics of CdSe/CdS/ZnS core-shell quantum dots [8]. CdSe/CdS with ZnS/ZnO shell QDs are synthesized by the one-pot method with various oleylamine (OLA) contents. QDs with a high OLA concentration exhibit diffraction peaks of ZnS/ZnO and the thermal stability of QDs with ZnS/ZnO shells exhibits better performance than those with ZnS shells. Moreover, the photoluminescence intensity of QDs with ZnS/ZnO shells shows a relatively slow decay of 7.1% compared with ZnS shells at a 85 °C/85% relative humidity aging test for 500 h.

Since a sensitive biomolecule detection system has potential uses for early detection and diagnosis of various diseases, QDs assembled on silica particles (QD^2) have been reported for such applications [9]. Exosomes are attracting attention as new biomarkers for monitoring the diagnosis and prognosis of certain diseases. Kim et al. reported the QD²based lateral flow assay for highly sensitive exosome detection [10]. Anti-CD63 antibodies were introduced on the surface of the highly bright QD^2 , and a lateral flow immunoassay with QD² was conducted to detect human foreskin fibroblast (HFF) exosomes. The exosome samples embraced a wide range of concentrations from 100 to 1000 exosomes/ μ L, and the detection limit of their newly designed system was 117.94 exosome/ μ L, which was 11 times lower than the previously reported limits. Bock et al. reported lateral flow immunoassay with QD^2 for prostate-specific antigen (PSA), which is one of the best-known biomarkers for early diagnosis of prostate cancer [11]. In particular, only a simple detection system including a smartphone and a computer software program was employed for signal transduction, because the developed system had high sensitivity by using very bright nanoprobes. The limit of PSA detection was 0.138 ng/mL and the area under the curve was 0.852. The system did not show any false-negative results while 47 human serum samples were analyzed, which may have a great clinical utility in in vitro diagnostics [12].

Rapid containment of viral infectious diseases has become a major concern for global health. The QD^2 have been employed to detect an H1N1 virus [13]. Seder et al. reported a movable layer device for rapid detection of influenza, an H1N1 virus, using QD^2 and



Citation: Park, S.-M.; Jun, B.-H. Synthesis and Applications of Optical Materials. *Nanomaterials* **2023**, *13*, 297. https://doi.org/10.3390/nano13020297

Received: 30 November 2022 Accepted: 5 December 2022 Published: 11 January 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). magnetic beads [14], a microfluidic platform that performs an immunoassay of viral antigens in a simple, automated, yet highly sensitive manner. The automated device achieves a highly sensitive magnetic bead-based sandwich immunoassay for the influenza A H1N1 virus within 32.5 min. The detection limit of the method is 5.1×10^{-4} hemagglutination units, which is 2×10^3 times more sensitive than that of the conventional hemagglutination method and is comparable to PCR.

Carbon materials have been a great candidate as optical materials [15–18]. Limosani et al. reported successfully synthesized N-doped carbon quantum dots (N-CQDs) using a hydroxyl radical opening of fullerene with hydrogen peroxide [19]. The N-CQDs were probed for metal ion detection in aqueous solutions and during bioimaging and displayed a Cr^{3+} and Cu^{2+} selectivity shift at a higher degree of -NH₂ functionalization, as well as HEK-293 cell nuclei marking. W.-H. Park reviewed the various characterization methods of chemical vapor deposition of monolayer graphene electrodes (CVD-MG), which are devised and developed for achieving a largescale, highly flexible, and transparent electrode [20].

The optical properties of metal nanoparticles have long been of interest in material science and applications [21–24]. The development of high efficiency dye-sensitized solar cells (DSSCs) has received tremendous attention [25–27]. Lee et al. studied an effect of Au NPs and scattering layer in dye-sensitized solar cells (DSSCs). Based on freestanding TiO₂ nanotube arrays [28], they introduced Au nanoparticles (Au NPs) and a scattering layer to change the power conversion efficiency (PCE) of DSSCs. The Au NPs layer could act as a better source of electron generation because the plasmonic absorption band of Au NPs is 530 nm, which matches the dye absorbance, and a scattering layer had better light harvesting by scattering.

Surface-enhanced Raman spectroscopy (SERS) has become an essential analytical tool for various target molecules detection [29–36]. However, the direct detection of H_2O_2 by SERS is not possible because of its low Raman cross-section. Pham et al. reported nonenzymatic hydrogen peroxide detection using SiO₂@Ag@Au alloy SERS NPs [37]. The peroxidase-mimicking activity of SiO₂@Au@Ag alloy NPs in the presence of TMB was investigated using SERS for detecting H_2O_2 . Briefly, in the presence of H_2O_2 , the SiO₂@Au@Ag alloy catalyzed the conversion of TMB to oxidized TMB, which was absorbed onto the surface of the SiO₂@Au@Ag alloy. The evaluation of the SERS band to determine the H_2O_2 level utilized the SERS intensity of oxidized TMB bands.

The reproducible, reliable fabrication for large area SERS substrates in a low-cost remains a challenge. Luo et al. reported large area patterning of highly reproducible and sensitive SERS sensors based on 10 nm annular gap arrays using a patterning method based on nanosphere lithography and adhesion lithography technics [38].

Various composites and shapes of optical materials are introduced [39,40]. The high optical absorption and emission of bidimensional MoS₂ are fundamental properties for optoelectronic and biodetection applications. Cortijo-Campos et al. reported size effects in single- and few-layer MoS₂ nanoflakes on Raman phonons and photoluminescence [41]. Hossain et al. reported recent studies of NIR (near infrared)-light responsive materials for photothermal cell treatments [42]. In their review, various nanomaterials such as metal and carbon-based nanomaterials are compared systematically.

Author Contributions: S.-M.P. and B.-H.J. wrote the manuscript. All authors have read and agreed to the published version of the manuscript.

Funding: This work was supported by Konkuk University in 2020 (2020-A019-0224).

Acknowledgments: This work was supported by Konkuk University in 2020 (2020-A019-0224).

Conflicts of Interest: The authors declare no conflict of interest.

References

- Park, S.M.; Aalipour, A.; Vermesh, O.; Yu, J.H.; Gambhir, S.S. Towards clinically translatable in vivo nanodiagnostics. *Nat. Rev. Mater.* 2017, 2, 1–20. [CrossRef] [PubMed]
- Lee, K.Y.; Pham, X.H.; Rho, W.Y.; Chang, H.; Lee, S.H.; Kim, J.; Hahm, E.; Lee, J.H.; Lee, Y.S.; Jun, B.H. Introduction of Nanobiotechnology. In *Nanotechnology for Bioapplications*; Jun, B.H., Ed.; Springer Nature Singapore: Singapore, 2021; pp. 1–22.
- 3. Pham, X.H.; Park, S.M.; Ham, K.M.; Kyeong, S.; Son, B.S.; Kim, J.; Hahm, E.; Kim, Y.H.; Bock, S.; Kim, W.; et al. Synthesis and Application of Silica-Coated Quantum Dots in Biomedicine. *Int. J. Mol. Sci.* **2021**, *22*, 10116. [CrossRef] [PubMed]
- 4. Alivisatos, A.P. Semiconductor clusters, nanocrystals, and quantum dots. Science 1996, 271, 933–937. [CrossRef]
- Bruchez, M.; Moronne, M.; Gin, P.; Weiss, S.; Alivisatos, A.P. Semiconductor nanocrystals as fluorescent biological labels. *Science* 1998, 281, 2013–2016. [CrossRef] [PubMed]
- 6. Chan, W.C.; Nie, S. Quantum dot bioconjugates for ultrasensitive nonisotopic detection. Science 1998, 281, 2016–2018. [CrossRef]
- Kim, J.; Hwang, D.W.; Jung, H.S.; Kim, K.W.; Pham, X.H.; Lee, S.H.; Byun, J.W.; Kim, W.; Kim, H.M.; Hahm, E.; et al. Highquantum yield alloy-typed core/shell CdSeZnS/ZnS quantum dots for bio-applications. *J. Nanobiotechnol.* 2022, 20, 1–12. [CrossRef]
- Chang, K.P.; Yeh, Y.C.; Wu, C.J.; Yen, C.C.; Wuu, D.S. Improved Characteristics of CdSe/CdS/ZnS Core-Shell Quantum Dots Using an Oleylamine-Modified Process. *Nanomaterials* 2022, 12, 909. [CrossRef] [PubMed]
- 9. Cha, M.G.; Son, W.K.; Choi, Y.S.; Kim, H.M.; Hahm, E.; Jun, B.H.; Jeong, D.H. High-throughput multiplex analysis method based on Fluorescence-SERS quantum Dot-Embedded silver bumpy nanoprobes. *Appl. Surf. Sci.* 2021, *558*, 149787. [CrossRef]
- Kim, H.M.; Oh, C.; An, J.; Baek, S.; Bock, S.; Kim, J.; Jung, H.S.; Song, H.; Kim, J.W.; Jo, A.; et al. Multi-Quantum Dots-Embedded Silica-Encapsulated Nanoparticle-Based Lateral Flow Assay for Highly Sensitive Exosome Detection. *Nanomaterials* 2021, 11, 768. [CrossRef]
- 11. Bock, S.; Kim, H.M.; Kim, J.; An, J.; Choi, Y.S.; Pham, X.H.; Jo, A.; Ham, K.M.; Song, H.; Kim, J.W.; et al. Lateral Flow Immunoassay with Quantum-Dot-Embedded Silica Nanoparticles for Prostate-Specific Antigen Detection. *Nanomaterials* **2022**, *12*, 33. [CrossRef]
- 12. Park, S.M.; Sabour, A.F.; Son, J.H.; Lee, S.H.; Lee, L.P. Toward Integrated Molecular Diagnostic System (iMDx): Principles and Applications. *IEEE Trans. Biomed. Eng.* **2014**, *61*, 1506–1521. [CrossRef]
- 13. Jo, A.; Kim, T.H.; Kim, D.M.; Kim, H.M.; Seong, B.; Kim, J.; Pham, X.H.; Jung, H.S.; Lee, S.H.; Hwang, D.W.; et al. Sensitive detection of virus with broad dynamic range based on highly bright quantum dot-embedded nanoprobe and magnetic beads. *J. Ind. Eng. Chem.* **2020**, *90*, 319–326. [CrossRef]
- 14. Seder, I.; Jo, A.; Jun, B.H.; Kim, S.J. Movable Layer Device for Rapid Detection of Influenza a H1N1 Virus Using Highly Bright Multi-Quantum Dot-Embedded Particles and Magnetic Beads. *Nanomaterials* **2022**, *12*, 284. [CrossRef] [PubMed]
- 15. Pham, X.H.; Hahm, E.; Kim, H.M.; Son, B.S.; Jo, A.; An, J.; Thi, T.A.T.; Nguyen, D.Q.; Jun, B.H. Silica-Coated Magnetic Iron Oxide Nanoparticles Grafted onto Graphene Oxide for Protein Isolation. *Nanomaterials* **2020**, *10*, 117. [CrossRef] [PubMed]
- 16. Park, S.; Ruoff, R.S. Chemical methods for the production of graphenes. Nat. Nanotechnol. 2009, 4, 217–224. [CrossRef]
- 17. Loh, K.P.; Bao, Q.L.; Eda, G.; Chhowalla, M. Graphene oxide as a chemically tunable platform for optical applications. *Nat. Chem.* **2010**, *2*, 1015–1024. [CrossRef]
- Singh, V.; Joung, D.; Zhai, L.; Das, S.; Khondaker, S.I.; Seal, S. Graphene based materials: Past, present and future. *Prog. Mater. Sci.* 2011, 56, 1178–1271. [CrossRef]
- Limosani, F.; Bauer, E.M.; Cecchetti, D.; Biagioni, S.; Orlando, V.; Pizzoferrato, R.; Prosposito, P.; Carbone, M. Top-Down N-Doped Carbon Quantum Dots for Multiple Purposes: Heavy Metal Detection and Intracellular Fluorescence. *Nanomaterials* 2021, 11, 2249. [CrossRef]
- Park, W.H. Nano-Physical Characterization of Chemical Vapor Deposition-Grown Monolayer Graphene for High Performance Electrode: Raman, Surface-Enhanced Raman Spectroscopy, and Electrostatic Force Microscopy Studies. *Nanomaterials* 2021, 11, 2839. [CrossRef] [PubMed]
- 21. Mie, G. Articles on the optical characteristics of turbid tubes, especially colloidal metal solutions. *Ann. Der Phys.* **1908**, 25, 377–445. [CrossRef]
- 22. Sun, Y.G.; Xia, Y.N. Shape-controlled synthesis of gold and silver nanoparticles. Science 2002, 298, 2176–2179. [CrossRef] [PubMed]
- 23. Kelly, K.L.; Coronado, E.; Zhao, L.L.; Schatz, G.C. The optical properties of metal nanoparticles: The influence of size, shape, and dielectric environment. *J. Phys. Chem. B* **2003**, 107, 668–677. [CrossRef]
- 24. Daniel, M.C.; Astruc, D. Gold nanoparticles: Assembly, supramolecular chemistry, quantum-size-related properties, and applications toward biology, catalysis, and nanotechnology. *Chem. Rev.* **2004**, *104*, 293–346. [CrossRef] [PubMed]
- Rho, W.Y.; Chun, M.H.; Kim, H.S.; Kim, H.M.; Suh, J.S.; Jun, B.H. Ag Nanoparticle-Functionalized Open-Ended Freestanding TiO2 Nanotube Arrays with a Scattering Layer for Improved Energy Conversion Efficiency in Dye-Sensitized Solar Cells. *Nanomaterials* 2016, 6, 117. [CrossRef]
- Hara, K.; Sato, T.; Katoh, R.; Furube, A.; Ohga, Y.; Shinpo, A.; Suga, S.; Sayama, K.; Sugihara, H.; Arakawa, H. Molecular design of coumarin dyes for efficient dye-sensitized solar cells. J. Phys. Chem. B 2003, 107, 597–606. [CrossRef]
- Liu, B.; Aydil, E.S. Growth of Oriented Single-Crystalline Rutile TiO2 Nanorods on Transparent Conducting Substrates for Dye-Sensitized Solar Cells. J. Am. Chem. Soc. 2009, 131, 3985–3990. [CrossRef]

- Lee, K.H.; Han, S.H.; Chuquer, A.; Yang, H.Y.; Kim, J.; Pham, X.H.; Yun, W.J.; Jun, B.H.; Rho, W.Y. Effect of Au Nanoparticles and Scattering Layer in Dye-Sensitized Solar Cells Based on Freestanding TiO₂ Nanotube Arrays. *Nanomaterials* 2021, 11, 328. [CrossRef]
- Kim, H.M.; Jeong, S.; Hahm, E.; Kim, J.; Cha, M.G.; Kim, K.M.; Kang, H.; Kyeong, S.; Pham, X.H.; Lee, Y.S.; et al. Large scale synthesis of surface-enhanced Raman scattering nanoprobes with high reproducibility and long-term stability. *J. Ind. Eng. Chem.* 2016, 33, 22–27. [CrossRef]
- Hahm, E.; Cha, M.G.; Kang, E.J.; Pham, X.H.; Lee, S.H.; Kim, H.M.; Kim, D.E.; Lee, Y.S.; Jeong, D.H.; Jun, B.H. Multilayer Ag-Embedded Silica Nanostructure as a Surface-Enhanced Raman Scattering-Based Chemical Sensor with Dual-Function Internal Standards. ACS Appl. Mater. Interfaces 2018, 10, 40748–40755. [CrossRef]
- Kim, H.M.; Kim, D.M.; Jeong, C.; Park, S.Y.; Cha, M.G.; Ha, Y.; Jang, D.; Kyeong, S.; Pham, X.H.; Hahm, E.; et al. Assembly of Plasmonic and Magnetic Nanoparticles with Fluorescent Silica Shell Layer for Tri-functional SERS-Magnetic-Fluorescence Probes and Its Bioapplications. *Sci. Rep.* 2018, *8*, 1–10. [CrossRef]
- Pham, X.H.; Hahm, E.; Huynh, K.H.; Son, B.S.; Kim, H.M.; Jeong, D.H.; Jun, B.H. 4-Mercaptobenzoic Acid Labeled Gold-Silver-Alloy-Embedded Silica Nanoparticles as an Internal Standard Containing Nanostructures for Sensitive Quantitative Thiram Detection. *Int. J. Mol. Sci.* 2019, 20, 4841. [CrossRef] [PubMed]
- Pham, X.H.; Hahm, E.; Kang, E.; Ha, Y.N.; Lee, S.H.; Rho, W.Y.; Lee, Y.S.; Jeong, D.H.; Jun, B.H. Gold-silver bimetallic nanoparticles with a Raman labeling chemical assembled on silica nanoparticles as an internal-standard-containing nanoprobe. *J. Alloys Compd.* 2019, 779, 360–366. [CrossRef]
- Bock, S.; Choi, Y.S.; Kim, M.; Yun, Y.; Pham, X.H.; Kim, J.; Seong, B.; Kim, W.; Jo, A.; Ham, K.M.; et al. Highly sensitive near-infrared SERS nanoprobes for in vivo imaging using gold-assembled silica nanoparticles with controllable nanogaps. J. Nanobiotechnol. 2022, 20, 1–12. [CrossRef] [PubMed]
- Kim, H.M.; Kim, J.; An, J.; Bock, S.; Pham, X.H.; Huynh, K.H.; Choi, Y.; Hahm, E.; Song, H.; Kim, J.W.; et al. Au-Ag assembled on silica nanoprobes for visual semiquantitative detection of prostate-specific antigen. J. Nanobiotechnol. 2021, 19, 1–10. [CrossRef]
- 36. Pham, X.H.; Hahm, E.; Kim, T.H.; Kim, H.M.; Lee, S.H.; Lee, S.C.; Kang, H.M.; Lee, H.Y.; Jeong, D.H.; Choi, H.S.; et al. Enzyme-amplified SERS immunoassay with Ag-Au bimetallic SERS hot spots. *Nano Res.* **2020**, *13*, 3338–3346. [CrossRef]
- Pham, X.H.; Seong, B.; Bock, S.; Hahm, E.; Huynh, K.H.; Kim, Y.H.; Kim, W.; Kim, J.; Kim, D.E.; Jun, B.H. Nonenzymatic Hydrogen Peroxide Detection Using Surface-Enhanced Raman Scattering of Gold-Silver Core-Shell-Assembled Silica Nanostructures. *Nanomaterials* 2021, 11, 2748. [CrossRef]
- Luo, S.; Mancini, A.; Lian, E.; Xu, W.; Berté, R.; Li, Y. Large Area Patterning of Highly Reproducible and Sensitive SERS Sensors Based on 10-nm Annular Gap Arrays. *Nanomaterials* 2022, 12, 3842. [CrossRef]
- Splendiani, A.; Sun, L.; Zhang, Y.B.; Li, T.S.; Kim, J.; Chim, C.Y.; Galli, G.; Wang, F. Emerging Photoluminescence in Monolayer MoS2. Nano Lett. 2010, 10, 1271–1275. [CrossRef]
- 40. Wang, Q.H.; Kalantar-Zadeh, K.; Kis, A.; Coleman, J.N.; Strano, M.S. Electronics and optoelectronics of two-dimensional transition metal dichalcogenides. *Nat. Nanotechnol.* **2012**, *7*, 699–712. [CrossRef]
- Cortijo-Campos, S.; Prieto, C.; de Andres, A. Size Effects in Single- and Few-Layer MoS2 Nanoflakes: Impact on Raman Phonons and Photoluminescence. *Nanomaterials* 2022, 12, 1330. [CrossRef]
- Hossain, M.I.; Nanda, S.S.; Selvan, S.T.; Yi, D.K. Recent Insights into NIR-Light-Responsive Materials for Photothermal Cell Treatments. *Nanomaterials* 2022, 12, 3318. [CrossRef] [PubMed]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.