

Supplementary materials

Glycosylated lipopeptides – synthesis and evaluation of anti-microbial activity and cytotoxicity

Log₂MIC vs adjusted retention time




Figure S1. Log₂MIC vs adjusted retention time for *E. fecium*.




Figure S2. Log₂MIC vs adjusted retention time for *S. aureus*.





Figure S3. Log₂MIC *vs* adjusted retention time for *K. pneumoniae*.





Figure S4. Log₂MIC *vs* adjusted retention time for *A. baumannii*.





Figure S5. Log₂MIC vs adjusted retention time for *P. aeruginosa*.





Figure S6. Log₂MIC vs adjusted retention time for *K. aerogenes*.





Figure S7. Log₂MIC vs adjusted retention time for *C. glabrata*.

Log₂SI (HC₅₀) vs adjusted retention time




Figure S8. Log₂SI (HC₅₀) vs adjusted retention time for *E. fecium*.




Figure S9. Log₂SI (HC₅₀) vs adjusted retention time for *S. aureus*.





Figure S10. Log₂SI (HC₅₀) vs adjusted retention time for *K. pneumoniae*.





Figure S11. Log₂SI (HC₅₀) vs adjusted retention time for *A. baumannii*.





Figure S12. Log₂SI (HC₅₀) vs adjusted retention time for *P. aeruginosa*.




Figure S13. Log₂SI (HC₅₀) vs adjusted retention time for *K. aerogenes*.




Figure S14. Log₂SI (HC₅₀) vs adjusted retention time for *C. glabrata*.

Log₂SI (IC₅₀) vs adjusted retention time




Figure S15. Log₂SI (IC₅₀) vs adjusted retention time for *E. fecium*.




Figure S16. Log₂SI (IC₅₀) vs adjusted retention time for *S. aureus*.





Figure S17. Log₂SI (IC₅₀) vs adjusted retention time for *K. pneumoniae*.





Figure S18. Log₂SI (IC₅₀) vs adjusted retention time for *A. baumannii*.





Figure S19. Log₂SI (IC₅₀) vs adjusted retention time for *P. aeruginosa*.





Figure S20. Log₂SI (IC₅₀) vs adjusted retention time for *K. aerogenes*.





Figure S21. Log₂SI (IC₅₀) vs adjusted retention time for *C. glabrata*.