

Supplementary Material

Amaryllidaceae alkaloids of different structural types from *Narcissus* L. cv. Professor Einstein and their cytotoxic activity

Kateřina Breiterová¹, Darja Koutová², Jana Mařiková³, Radim Havelek², Jiří Kuneš³, Martina Majorošová², Lubomír Opletal¹, Anna Hošťálková¹, Jaroslav Jenčo¹, Martina Řezáčová², Lucie Cahlíková^{1*}

¹ ADINACO Research Group, Department of Pharmaceutical Botany, Faculty of Pharmacy, Charles University, Heyrovského 1203, 500 05 Hradec Králové, Czech Republic

² Department of Medical Biochemistry, Faculty of Medicine in Hradec Králové, Charles University, Šimkova 870, 500 03 Hradec Králové, Czech Republic

³ Department of Organic and Bioorganic Chemistry, Faculty of Pharmacy, Charles University, Heyrovského 1203, 500 05 Hradec Králové, Czech Republic

Table of contents

| | |
|---|---|
| Figure S1 GS/MS analysis of alkaloidal extract of <i>Narcissus</i> cv. Professor Einstein | 2 |
| Table S1 Alkaloids identified by GC/MS in fresh bulbs of <i>Narcissus</i> cv. Professor Einstein | 3 |
| Figure S2-1 ¹ H NMR spectra of 9- <i>O</i> -demethylmaritidine (21) in CDCl ₃ | 4 |
| Figure S2-2 ¹³ C NMR spectra of 9- <i>O</i> -demethylmaritidine (21) in CDCl ₃ | 4 |
| Figure S3-1 ESI-HRMS spectra of new alkaloid 7-oxonorpluviine (24) | 5 |
| Figure S3-2 ¹ H NMR spectra of new alkaloid 7-oxonorpluviine (24) in CD ₃ OD | 5 |
| Figure S3-3 ¹³ C NMR spectra of new alkaloid 7-oxonorpluviine (24) in CD ₃ OD..... | 6 |
| Figure S3-4 gCOSY spectra of new alkaloid 7-oxonorpluviine (24) in CD ₃ OD | 6 |
| Figure S3-5 gHSQC spectra of new alkaloid 7-oxonorpluviine (24) in CD ₃ OD | 7 |
| Figure S3-6 gHMBC spectra of new alkaloid 7-oxonorpluviine (24) in CD ₃ OD..... | 7 |
| Figure S3-7 NOESY spectra of new alkaloid 7-oxonorpluviine (24) in CD ₃ OD..... | 8 |

Figure S1 GS/MS analysis of alkaloidal extract of *Narcissus* cv. Professor Einstein





Table S1 Alkaloids identified by GC/MS in fresh bulbs of *Narcissus* cv. Professor Einstein

| Compound | RT (min) | [M+] and characteristic ions, m/z (% of relative intensity) | % | Ref. for MS |
|-------------------------------------|----------|---|----|-------------|
| 1. Lycoramine | 19.314 | 289(65), 288(100), 274(10), 232(10), 202(30) | tr | NIST 11 |
| 2. A1 | 20.625 | ?177(7), 109(100) | 1 | |
| 3. Norpluviine | 21.299 | 273(75), 273(33), 254(42), 242(6), 229(50), 228(100), 241(5) | 3 | NIST 11 |
| 4. Pluviine | 21.569 | 287(81), 286(48), 268(52), 254(15), 243(66), 242(100), 228(23) | 1 | NIST 11 |
| 5. 11, 12- Didehydroanhydrolycorine | 22.076 | 249(59), 248(100), 190(25), 163(7), 95(15) | 1 | [1] |
| 6. Haemanthamine | 22.486 | 301(15), 272(100), 240(15), 225(5), 211(15) | 16 | NIST 11 |
| 7. Pancracine | 23.216 | 287(100), 286(20), 270(17), 243(17), 223(15), 214(16), 199(18), 185(26) | 11 | NIST 11 |
| 8. Lycorine | 24.046 | 287(30), 268(24), 250(32), 227(68), 226(100), 211(5), 147(9) | 10 | NIST 11 |
| 9. 9-O-Methylpseudolycorine | 24.604 | 303(35), 284(24), 243(86), 242(100) | <1 | NIST 11 |
| 10. Homolycorine | 25.086 | 301(-), 207(1), 178(3), 110(8), 109(100), 108(20), 94(3), 82(3) | 39 | [2] |
| 11. A2 | 25.450 | 329(31), 269(76), 268(100), 250(93), 240(16), 226(81), 211(12), 147(15) | 2 | |
| 12. Hippeastrine | 26.033 | 315(-), 162(4), 134(4), 125(100), 96(36), 82(3) | 15 | [1] |

- Havlasová, J.; Šafratová, M.; Siatka, T.; Štěpánková, Š.; Novák, Z.; Ločárek, M.; Opletal, L.; Hrabínová, M.; Jun, D.; Benešová, N.; Kuneš, J.; Cahlíková, L. Chemical Composition of Bioactive Alkaloid Extracts from Some *Narcissus* Species and Varieties and their Biological Activity. *Nat. Prod. Commun.* **2014**, *9*, 1151-1155.
- Cahlíková, L.; Ločárek, M.; Benešová, N.; Kučera, R.; Chlebek, J.; Novák, Z.; Opletal, L. Isolation and Cholinesterase Inhibitory Activity of *Narcissus* Extracts and Amaryllidaceae Alkaloids. *Nat. Prod. Commun.* **2013**, *8*, 781-785.

Figure S2-1 ¹H NMR spectra of 9-O-demethylmaritidine (**21**) in CDCl₃




Figure S2-2 ¹³C NMR spectra of 9-O-demethylmaritidine (**21**) in CDCl₃




Figure S3-1 ESI-HRMS spectra of new alkaloid 7-oxonorpluviine (24)




Figure S3-2 ^1H NMR spectra of new alkaloid 7-oxonorpluviine (24) in CD_3OD




Figure S3-3 ^{13}C NMR spectra of new alkaloid 7-oxonorpluviine (**24**) in CD_3OD




Figure S3-4 gCOSY spectra of new alkaloid 7-oxonorpluviine (**24**) in CD_3OD




Figure S3-5 gHSQC spectra of new alkaloid 7-oxonorpluviine (**24**) in CD₃OD

24




Figure S3-6 gHMBC spectra of new alkaloid 7-oxonorpluviine (**24**) in CD₃OD

24




Figure S3-7 NOESY spectra of new alkaloid 7-oxonorpluviine (**24**) in CD₃OD

24

