

Table S3. Yeast viable cells counts during alcoholic fermentations in the different vessels: Test A (stainless steel); Test B (earthenware amphora); Test C (mulberry barrel); Test D (cherry barrel).

Days	Viable cell counts log (CFU/mL)			
	Test A	Test B	Test C	Test D
0	7.11 ± 0.04 ^a	7.11 ± 0.04 ^a	7.11 ± 0.04 ^a	7.11 ± 0.04 ^a
4	7.36 ± 0.04 ^a	7.30 ± 0.04 ^a	6.87 ± 0.04 ^c	7.18 ± 0.03 ^b
8	7.24 ± 0.03 ^b	7.23 ± 0.05 ^b	7.23 ± 0.03 ^b	7.38 ± 0.02 ^a
12	7.09 ± 0.06 ^a	7.03 ± 0.06 ^a	6.52 ± 0.03 ^c	6.95 ± 0.04 ^b
16	6.99 ± 0.02 ^a	6.88 ± 0.05 ^b	6.40 ± 0.04 ^d	6.70 ± 0.03 ^c
20	6.96 ± 0.03 ^a	6.87 ± 0.03 ^b	6.38 ± 0.02 ^d	6.70 ± 0.02 ^c

Data are expressed as mean values ± standard deviations (n = 3); different letters (a–d), within a row indicate significant differences ($p \leq 0.05$).