

Supplementary Materials

Electrodeposited PPy@TiO₂, and PEDOT@TiO₂ counter electrodes for
[Co(bpy)₃]^{2+/3+} redox mediator-based dye sensitized solar cells

Abdelaal. S. A. Ahmed ^{1*}, Xie Yi², Xiujian Zhao ^{2*}, Wanchun Xiang ^{2,3}, Mohammed Abdelmotallieb ¹

¹ Chemistry Department, Faculty of Science, Al-Azhar University, Assiut 71524, Egypt

² State Key Laboratory of Silicate Materials for Architecture, Wuhan University of Technology, Luoshi Road, Wuhan 430070, China

³ Key Laboratory for Applied Surface and Colloid Chemistry, Ministry of Education, Shaanxi Key Laboratory for Advanced Energy Devices, Shaanxi Engineering Lab for Advanced Energy Technology, School of Materials Science & Engineering, Shaanxi Normal University, Xi'an 710119, China

*Correspondence:

(A. S. A. Ahmed) abdelaalsaiyd@azhar.edu.eg; Tel. (+00201553681043); (X. Zhao) opluse@whut.edu.cn




Figure S1: (a, c) CV curves of various PPy@TiO₂ and PEDOT@TiO₂ CEs with [Co(bpy)₃]^{2+/3+} redox couple at different scan rates, and (b, d) the relationship between peak current density and the square root of scan rates.