

Correction

Correction: Tian et al. Fluorescence Resonance Energy Transfer Properties and Auger Recombination Suppression in Supraparticles Self-Assembled from Colloidal Quantum Dots. *Inorganics* 2023, *11*, 218

Xinhua Tian ^{1,2,†}, Hao Chang ^{1,†}, Hongxing Dong ^{1,3,4,*}, Chi Zhang ^{3,5,*} and Long Zhang ^{1,2,3,4,*}

- Key Laboratory of Materials for High-Power Laser, Shanghai Institute of Optics and Fine Mechanics, Chinese Academy of Sciences, Shanghai 201800, China
- ² School of Physical and Technology, ShanghaiTech University, Shanghai 201210, China
- ³ School of Physics and Optoelectronic Engineering, Hangzhou Institute for Advanced Study, University of Chinese Academy of Sciences, Hangzhou 310024, China
- ⁴ CAS Center for Excellence in Ultra-Intense Laser Science, Shanghai 201800, China
- ⁵ Department of Mechanical and Aerospace Engineering, University of Missouri, Columbia, MO 65211, USA
 - Correspondence: hongxingd@siom.ac.cn (H.D.); chizhang@ucas.ac.cn (C.Z.); lzhang@siom.ac.cn (L.Z.)
 - These authors contributed equally to this work.

Error in Figure

In the original publication [1], there was a mistake in two schematics (Figures 1 and 3b) as published. Both schematics may lead to misunderstanding. The corrected Figures 1 and 3b appear below. The authors apologize for any inconvenience caused and state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.




Figure 1. Schematic of the fabrication of colloidal quantum dot supraparticles through the microemulsion method.



Citation: Tian, X.; Chang, H.; Dong, H.; Zhang, C.; Zhang, L. Correction: Tian et al. Fluorescence Resonance Energy Transfer Properties and Auger Recombination Suppression in Supraparticles Self-Assembled from Colloidal Quantum Dots. *Inorganics* 2023, 11, 218. *Inorganics* 2023, 11, 340. https://doi.org/10.3390/ inorganics11080340

Received: 1 August 2023 Accepted: 11 August 2023 Published: 18 August 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/).




Figure 3. (a) Absorption (black dashed line) and emission (black curve) spectra for the CQD solution and emission spectrum for the SPs (red curve). (b) The excited-state pathways in a CQDs supraparticle considered in our model. (c,d) Spectrally resolved transient photoluminescence of (c) CdSe/ZnS CQD solution and (d) CQD supraparticles. (e,f) Emission spectra of CdSe/ZnS CQD solution (e) and CQD supraparticles (f) at 100 ps delay time after an excitation pulse. The short vertical bars are the peak energies. The gray vertical line is the PL peak energy of the first spectrum at 0 ps.

Reference

1. Tian, X.; Chang, H.; Dong, H.; Zhang, C.; Zhang, L. Fluorescence Resonance Energy Transfer Properties and Auger Recombination Suppression in Supraparticles Self-Assembled from Colloidal Quantum Dots. *Inorganics* **2023**, *11*, 218. [CrossRef]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.