

Electronic Supporting Information

(E)-Piplartine isolated from *Piper pseudoarboeum*: a Lead Compound against Leishmaniasis

**Juan C. Ticona^{1,2}, Pablo Bilbao-Ramos³, Ninoska Flores², M. Auxiliadora Dea-Ayuela^{3,4},
Francisco Bolás-Fernández³, Ignacio A. Jiménez^{1,*} and Isabel L. Bazzocchi^{1,*}**

¹ Instituto Universitario de Bio-Orgánica Antonio González and Departamento de Química Orgánica,
Universidad de La Laguna, Avenida Francisco Sánchez 2, 38206 La Laguna, Tenerife, Spain


² Instituto de Investigaciones Fármaco Bioquímicas, Facultad de Ciencias Farmacéuticas y Bioquímicas,
Universidad Mayor de San Andrés, Avda. Saavedra 2224, Miraflores, La Paz, Bolivia

³ Departamento de Parasitología, Facultad de Farmacia, Universidad Complutense de Madrid, Plaza
Ramón y Cajal s/n, 28040-Madrid, Spain


⁴ Departamento de Farmacia, Bioquímica y Biología Molecular, Universidad CEU-Cardenal Herrera,
Avda. Seminario s/n, 46113-Moncada, Valencia

Contents


- S2 ¹H and ¹³C NMR spectra for compound **1**
- S3 ¹H and ¹³C NMR spectra for compound **2**
- S4 ¹H and ¹³C NMR spectra for compound **3**
- S5 ¹H and ¹³C NMR spectra for compound **4**
- S6 ¹H and ¹³C NMR spectra for compound **5**
- S7 ¹H and ¹³C NMR spectra for compound **6**




S2. ¹H and ¹³C NMR spectra (400 MHz and 100 MHz, respectively, CDCl₃) of compound **1**.




S3. ¹H and ¹³C NMR spectra (500 MHz and 125 MHz, respectively, CDCl₃) of compound **2**.





¹H NMR spectrum (400 MHz, solvent CDCl₃) of derivative **3**.




S4. ¹H and ¹³C NMR spectra (400 MHz and 100 MHz, respectively, CDCl₃) of compound **3**.



S5. ¹H and ¹³C NMR spectra (400 MHz and 100 MHz, respectively, CDCl₃) of compound **4**.



S6. ¹H and ¹³C NMR spectra (400 MHz and 100 MHz, respectively, CDCl₃) of compound 5.



S7. ¹H and ¹³C NMR spectra (400 MHz and 100 MHz, respectively, CDCl₃) of compound **6**.