

Supplementary Information

MoS₂-Cysteine nanofiltration membrane for lead removal

Jaewon Jang ^{1,*}, Sang-Soo Chee ^{2,*}, Yesol Kang ¹, and Suhun Kim ¹

¹ School of Earth Sciences and Environmental Engineering, Gwangju Institute of Science and Technology (GIST), Gwangju 61005, Korea.; jwjang@gm.gist.ac.kr (J.J.); yesol7964@gist.ac.kr (Y.K.); tngjs2020@gm.gist.ac.kr (S.K.)

² Nanomaterials and Nanotechnology Center, Korea Institute of Ceramic Engineering and Technology (KICET), Jinju-si 52851, Korea.; sschee@kicet.re.kr (S.S.C.)

* Correspondence: jwjang@gm.gist.ac.kr; Tel.: +82-62-715-2714 (J.J.); sschee@kicet.re.kr, Tel: +82-55-792-2684 (S.S.C.)




Figure S1. A fabrication process of Cys-MoS₂ NF membranes.




Figure S2. Raman spectra of the bulk MoS₂ and exfoliated MoS₂ nanosheet.




Figure S3. S 2p XPS core-level spectra of the Cysteine.




Figure S4. SEM images of (a) pristine MoS₂ and (b) MoS₂-Cys membranes. AFM results of (c) pristine MoS₂ and (d) MoS₂-Cys membranes.




Figure S5. (a) Water contact angle according to Cysteine concentration and (b) Zeta potential of the MoS₂ nanosheet and MC10 in various pH.




Figure S6. (a) XPS survey spectra before/after nanofiltration and (b) Pb 4f core-level after nanofiltration of the MoS₂-Cys membrane.