

Table S1. Effects of SHAM at 10 µg/mL on EC₅₀ values of azoxystrobin against mycelial growth of *U. virens* on potato sucrose agar (PSA) and minimal medium (MM).

Isolate	EC ₅₀ (µg/mL) on PSA		Fold change	EC ₅₀ (µg/mL) on MM		Fold change
	Without SHAM	With SHAM		Without SHAM	With SHAM	
GL18	0.027	0.033	0.82	0.124	0.084	1.48
GY20	0.089	0.053	1.68	0.120	0.009	13.33
HWD	0.251	0.148	1.70	0.198	0.039	5.08
JR4	0.074	0.083	0.89	0.128	0.008	16.97
JS28	0.291	0.189	1.54	0.154	0.015	10.27
JS60	0.129	0.117	1.10	0.056	0.020	2.80
YD2	0.279	0.108	2.58	0.141	0.042	3.33
YZ10	0.126	0.096	1.31	0.119	0.015	8.01
ZJ4	0.233	0.063	3.70	0.294	0.035	8.34
ZJ26	0.051	0.042	1.21	0.019	0.009	2.06
Average	0.155	0.093	1.67	0.135	0.028	4.82
Paired <i>t</i> test	<i>P</i> = 0.020			<i>P</i> < 0.001		

Table S2. Effects of SHAM at 10 µg/mL on EC₅₀ values of pyraclostrobin against mycelial growth of *U. virens* on potato sucrose agar (PSA) and minimal medium (MM).

Isolate	EC ₅₀ (µg/mL) on PSA		Fold change	EC ₅₀ (µg/mL) on MM		Fold change
	Without SHAM	With SHAM		Without SHAM	With SHAM	
GL18	0.092	0.013	7.08	0.108	0.015	7.20
GY20	0.084	0.052	1.62	0.038	0.035	1.09
HWD	0.046	0.031	1.48	0.081	0.019	4.26
JR4	0.099	0.014	7.07	0.048	0.006	8.00
JS28	0.025	0.018	1.39	0.056	0.007	8.00
JS60	0.033	0.018	1.83	0.039	0.012	3.25
YD2	0.118	0.032	3.69	0.112	0.009	12.44
YZ10	0.063	0.022	2.86	0.088	0.007	12.57
ZJ4	0.083	0.007	11.86	0.078	0.009	8.67
ZJ26	0.058	0.042	1.38	0.123	0.045	2.73
Average	0.070	0.025	2.80	0.077	0.016	4.81
Paired <i>t</i> test	<i>P</i> < 0.001			<i>P</i> < 0.001		