

Combined Metabolome and Transcriptome Analyses of the Effects of Elicitors Treated on Triterpene Accumulation in *Sanghuangporus sanghuang*

Linjiang Zhou¹⁺ · Yan Fu¹⁺ · Xinyuan Zhang¹ · Tong Wang¹ · Guangyuan Wang¹ ·

Liwei Zhou² · Hailong Yu^{3,*} · Xuemei Tian^{1,*}

1 college of Life Sciences, Shandong Provincial Key Laboratory of Applied Mycology, Qingdao Agricultural University, Shandong Qingdao 266109, China; zhoulj24@163.com (L.J.Z.); xiaofu15662034968@163.com (Y.F.); 1172532789@qq.com (X.Y.Z.); 1173391395@qq.com (T.W.); gywang@qau.edu.cn (G.Y.W.)

2 State Key Laboratory of Mycology, Institute of Microbiology, Chinese Academy of Sciences, Beijing 100101, China; liwei_zhou1982@im.ac.cn (L.W.Z.)

3 Institute of Edible Fungi, Shanghai Academy of Agricultural Sciences, National Engineering Research Center of Edible Fungi, Shanghai, 201403, China. yuhailong@saas.sh.cn (H.L.Y.)

+ There authors contributed equally to the this work.

* Corresponding author: txm@qau.edu.cn (X.M.T.), yuhailong@saas.sh.cn (H.L.Y.)

Figure Legends

Fig S1. 18S internal reference gene. The left graph shows the amplification curve, and the right graph shows the dissolution curve.

Fig S2. Transcripts 20207. The left graph shows the amplification curve, and the right graph shows the dissolution curve.

Fig S3. Transcripts 20259. The left graph shows the amplification curve, and the right graph shows the dissolution curve.

Fig S4. Transcripts 41678. The left graph shows the amplification curve, and the right graph shows the dissolution curve.

Fig S5. Transcripts 4013. The left graph shows the amplification curve, and the right graph shows the dissolution curve.




Fig S1. 18S internal reference gene




Fig S2. Transcripts 20207




Fig S3. Transcripts 20259




Fig S4. Transcripts 41678




Fig S5. Transcripts 4013