

Supplementary Table S4 Determination of L*, a*, and b* values of 11 mutant leaves in *F. nilgerrensis*

Mutants	L*	a*	b*
DL	31.57±0.22 ^f	-7.7±0.24 ^a	11.9±0.35 ^g
YL	63.23±0.76 ^a	-15.88±0.21 ^g	49.89±0.20 ^a
CL	33.43±0.52 ^c	-9.58±0.06 ^c	13.66±0.28 ^h
WL	40.87±0.66 ^b	-13.39±0.31 ^c	25.43±0.46 ^b
RL	32.56±0.86 ^f	-8.29±0.14 ^b	12.15±0.29 ^h
NL	38.66±0.49 ^c	-14.56±0.19 ^f	21.76±0.07 ^{dc}
SGL	38.62±0.28 ^c	-12.34±0.29 ^d	19.13±0.39 ^f
SL	38.65±0.34 ^c	-13.67±0.29 ^c	21.42±0.40 ^{dc}
LL	39.77±0.20 ^b	-13.87±0.22 ^c	21.87±0.08 ^{dc}
DP	37.11±0.30 ^d	-15.16±0.18 ^f	22.25±0.40 ^c
CP	37.88±0.28 ^{cd}	-14.96±0.20 ^f	22.11±0.22 ^{cd}
WT	38.27±0.52 ^c	-14.82±0.34 ^f	21.69±0.48 ^c

Note: Values represent mean ± SE; Different lowercase letters indicate significant differences among treatments according to LSD test ($P<0.05$).