

Correction

# Correction: Farrukh, A.; Mayberry, J. Apparent Disparities in Hospital Admission and Biologic Use in the Management of Inflammatory Bowel Disease between 2014–2018 in Some Black and Ethnic Minority (BEM) Populations in England. *Gastrointest. Disord.* 2020, 2, 144–151

Affifa Farrukh \*<sup>id</sup> and John Mayberry <sup>id</sup>

Department of Digestive Diseases, University Hospitals of Leicester NHS Trust, Leicester LE5 4PW, UK; johnfmayberry@yahoo.co.uk

\* Correspondence: farrukh\_affi@yahoo.com



**Citation:** Farrukh, A.; Mayberry, J. Correction: Farrukh, A.; Mayberry, J. Apparent Disparities in Hospital Admission and Biologic Use in the Management of Inflammatory Bowel Disease between 2014–2018 in Some Black and Ethnic Minority (BEM) Populations in England. *Gastrointest. Disord.* 2020, 2, 144–151. *Gastrointest. Disord.* 2021, 3, 127–128. <https://doi.org/10.3390/gidisord3030013>

Received: 26 July 2021

Accepted: 27 July 2021

Published: 10 August 2021

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

The authors wish to make the following correction to this paper [1]:

In the original article, there was a mistake in Table 1, as published. For Croydon Health Services NHS Trust, the Cases of IBD in White Irish should be 46; the Cases of IBD in White Other should be 20; the Expected cases of IBD in White Irish should be 63; and the Expected cases of IBD in White Other should be 168.

**Table 1.** Hospital admission statistics and biologic use in the management of inflammatory bowel disease between 2014–2018 in selected NHS trusts with significant Black and Ethnic Minority (BEM) populations in England.

	White British	White Irish	White Other	White	Afro-Caribbean	Asian
<b>Wye Valley NHS Trust</b>						
<b>In-Patient Admissions</b>						
Population	172,000	750	7200			
Cases of IBD	3368	24	112			
Expected Cases of IBD	3368	15	141			
Proportion Statistic		1.46	−1.8			
Significance		n.s.	n.s.			
<b>University Hospitals of Bristol NHS Foundation Trust</b>						
<b>Use of Biologics</b>						
Population	334,000	3900	22,000	360,000	19,000	
Cases of IBD	429	5	16	450	<5	
Expected Cases of IBD	429	5	28	450	24	
Proportion Statistic			1.8		−3.78	
Significance		n.s.	n.s.		$p < 0.002$	
<b>Queen Elizabeth Hospital King's Lynn NHS Foundation Trust</b>						
<b>Use of Biologics</b>						
Population	136,000	444	3700			
Cases of IBD	165	3	8			
Expected Cases of IBD	165	1	5			
Proportion Statistic		−1	−0.8			
Significance		n.s.	n.s.			
<b>Croydon Health Services NHS Trust</b>						
<b>In-Patient Admissions</b>						
Population	172,000	5400	2300	180,000	60,500	
Cases of IBD	1475	46	20	1706	230	
Expected Cases of IBD	1475	63	168		573	
Proportion Statistic		−1.6	11		−61.4	
Significance		n.s.	$p < 0.0001$		$p < 0.00001$	

Table 1. Cont.

	White British	White Irish	White Other	White	Afro-Caribbean	Asian
<b>Nottingham University Hospitals NHS Trust</b>						
<b>In-Patient Admissions</b>						
Population				276,000	14,100	
Cases of IBD				5133	52	
Expected Cases of IBD				5133	262	
Proportion Statistic					9.4	
Significance					$p < 0.00001$	
<b>University Hospitals of Derby and Burton NHS Foundation Trust</b>						
<b>In-Patient Admissions</b>						
Population				377,000	7500	
Cases of IBD				16,111	69	
Expected Cases of IBD				16,111	321	
Proportion Statistic					-12.9	
Significance					$p < 0.00001$	
<b>University Hospitals of Birmingham NHS Foundation Trust</b>						
<b>Use of Biologics</b>						
Population				622,000	78,000	
Cases of IBD				94	6	
Expected Cases of IBD				94	12	
Proportion Statistic					-1.4	
Significance					n.s.	
<b>Kings College Hospital NHS Foundation Trust</b>						
<b>In-Patient Admissions:</b>						
Population				170,000	78,500	
Cases of IBD				13,003	2257	
Expected Cases of IBD				13,003	6004	
Proportion Statistic					-42.3	
Significance					$p < 0.00001$	
<b>NorthWest Anglia NHS Foundation Trust</b>						
<b>In-Patient Admissions</b>						
Population	159,000	1500	22,000			18,000
Cases of IBD	8161	39	305			236
Expected Cases of IBD	8161	77	1129			924
Proportion Statistic		-3.6	-22.1			-20.5
Significance		$p < 0.0003$	$p < 0.00001$			$p < 0.00001$
<b>The Princess Alexandra Hospital NHS Trust</b>						
<b>In-Patient Admissions</b>						
Population	71,000	800	2900		2800	2100
Cases of IBD	3710	27	118		8	37
Expected cases of IBD	3710	42	152		146	110
Proportion Statistic		-1.8	-2.1		-11.3	-6.1
Significance		n.s.	$p < 0.03$		$p < 0.00001$	$p < 0.00001$

n.s. = not significant, IBD = Inflammatory bowel disease.

**Conflicts of Interest:** The authors declare no conflict of interest.

## Reference

1. Farrukh, A.; Mayberry, J. Apparent Disparities in Hospital Admission and Biologic Use in the Management of Inflammatory Bowel Disease between 2014–2018 in Some Black and Ethnic Minority (BEM) Populations in England. *Gastrointest. Disord.* **2020**, *2*, 144–151. [[CrossRef](#)]