



## Abstract Phenotypic Characterization of Lentil Genotypes for P Uptake and Utilization Efficiency at Seedling Stage <sup>+</sup>

Vinita Ramtekey <sup>1</sup>,\*<sup>(D)</sup>, Ruchi Bansal <sup>2</sup>, Harsh Kumar Dikshit <sup>3</sup><sup>(D)</sup>, Gyan Prakash Mishra <sup>3</sup><sup>(D)</sup> and Sanjay Kumar <sup>1</sup>

- <sup>1</sup> ICAR-Indian Institute of Seed Science, Mau 275103, India; sanjay.kumar@icar.gov.in
- <sup>2</sup> Division of Germplasm Evaluation, ICAR-National Bureau of Plant Genetic Resources, New Delhi 110012, India; ruchibansal06@gmail.com
- <sup>3</sup> Division of Genetics, ICAR-Indian Agricultural Research Institute, New Delhi 110012, India; harshgeneticsiari@gmail.com (H.K.D.); gyan.gene@gmail.com (G.P.M.)
- \* Correspondence: vinita.ramtekey@icar.gov.in
- + Presented at the 2nd International Electronic Conference on Plant Sciences—10th Anniversary of Journal Plants, 1–15 December 2021; Available online: https://iecps2021.sciforum.net/.

Abstract: Phosphorus (P) is an essential, non-renewable nutrient for crop productivity worldwide. P is immobilized in the soil, which limits its uptake and utilization by the plants. Breeding for P uptake and utilization efficiency is the most sustainable strategy for employing available resources in the best possible way. The present study was carried out to identify P uptake and utilization efficient lines under low p condition at seedling stage in lentil. A set of diverse lentil genotypes (85) belonging to six different *Lens* species was screened under normal and low P condition in hydroponics under controlled environment. Significant reduction in root dry weight (RDW), shoot dry weight (SDW) and total dry weight (TDW) was evident under low P condition. TDW, SDW and RDW were significantly correlated to P uptake efficiency (PupE) and P utilization efficiency (PutiE) in lentil. PupE ranged from 19.50 to 266.49 mg plant<sup>-1</sup> under low P and PutiE ranged from 30.53% to 97.50%. Based on the TDW under low P, EC718309, EC718348, and EC718332 were found promising for PupE, while PL06 and EC718332 exhibited better PutiE. EC718332 was observed as an efficient and responsive genotype for both P uptake and utilization. These identified genotypes can be used as a trait donor for breeding lentil varieties in a low P environment.

Keywords: Lens species; total dry weight; P uptake efficiency; P utilization efficiency

**Supplementary Materials:** The following supporting information can be downloaded at: https://www.mdpi.com/article/10.3390/IECPS2021-11942/s1.

**Author Contributions:** Conceptualization, V.R., H.K.D. and G.P.M.; methodology, V.R., H.K.D., formal analysis, V.R. and R.B., resources, H.K.D., G.P.M., data curation, V.R. and R.B.; writing—original draft preparation, V.R. and R.B.; writing—review and editing, H.K.D., G.P.M. and S.K. supervision, H.K.D., G.P.M. and S.K. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: The study did not require ethical approval.

Informed Consent Statement: Not applicable.

**Data Availability Statement:** The article regarding data availability as the complete manuscript is not there. I have submitted whole manuscript in Plants of journal of MDPI which had already published. So data can be available in that research article. Here is the link: Ramtekey, V., Bansal, R., Aski, M. S., Kothari, D., Singh, A., Pandey, R., ... & Dikshit, H. K. (2021). Genetic Variation for Traits Related to Phosphorus Use Efficiency in Lens Species at the Seedling Stage. Plants, 10(12), 2711.

Conflicts of Interest: The authors declare no conflict of interest.



Citation: Ramtekey, V.; Bansal, R.; Dikshit, H.K.; Mishra, G.P.; Kumar, S. Phenotypic Characterization of Lentil Genotypes for P Uptake and Utilization Efficiency at Seedling Stage. *Biol. Life Sci. Forum* **2022**, *11*, 89. https://doi.org/10.3390/ IECPS2021-11942

Academic Editor: Dimitris L. Bouranis

Published: 30 November 2021

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/).