



Reactivity of Metal Complexes with Redox-Active Ligands

Guest Editor:

Dr. Artem L. Gushchin

Nikolaev Institute of Inorganic Chemistry, Siberian Branch of Russian Academy of Sciences, 3 Akad. Lavrentiev Ave., 630090 Novosibirsk, Russia

Deadline for manuscript submissions:

closed (31 December 2021)

Message from the Guest Editor

Redox-active ligands are capable of being in several stable oxidation states, between which reversible redox changes are possible. The classical redox-active ligands include α -diimines, dithiolenes, and o-quinones. A unique property of these ligands lies in their ability to reversibly transform into radical anion or dianionic forms while maintaining a bond with a metal atom. Acenaphthene-1,2-diimine (bian) ligands are of particular note, as they are capable of accepting up to four electrons due to the reduction of both diimine and naphthalene components.

Transition metal complexes in combination with redox-active ligands are often used to stimulate redox-based catalytic reactions and to activate small molecules. For non-transition metals, unlike transition metals, a change in the oxidation state is not characteristic. However, the combination of non-transition metals and a redox-active ligand induces oxidative addition and reductive elimination reactions. This property makes such complexes similar to catalytically active compounds of transition metals and opens up the possibility of their use in catalysis.





an Open Access Journal by MDPI

Editor-in-Chief

Prof. Dr. Thomas J. Schmidt

Institute of Pharmaceutical
Biology and Phytochemistry,
University of Münster,
Corrensstrasse 48, D-48149
Münster, Germany

Message from the Editor-in-Chief

As the premier open access journal dedicated to experimental organic chemistry, and now in its 25th year of publication, the papers published in *Molecules* span from classical synthetic methodology to natural product isolation and characterization, as well as physicochemical studies and the applications of these molecules as pharmaceuticals, catalysts and novel materials. Pushing the boundaries of the discipline, we invite papers on multidisciplinary topics bridging biochemistry, biophysics and materials science, as well as timely reviews and topical issues on cutting edge fields in all these areas.

Author Benefits

Open Access: free for readers, with [article processing charges \(APC\)](#) paid by authors or their institutions.

High Visibility: indexed within [Scopus](#), [SCIE \(Web of Science\)](#), [PubMed](#), [MEDLINE](#), [PMC](#), [Reaxys](#), [CaPlus / SciFinder](#), [MarinLit](#), [AGRIS](#), and [other databases](#).

Journal Rank: JCR - Q2 (*Chemistry, Multidisciplinary*) / CiteScore - Q1 (*Chemistry (miscellaneous)*)

Contact Us

Molecules Editorial Office
MDPI, St. Alban-Anlage 66
4052 Basel, Switzerland

Tel: +41 61 683 77 34
www.mdpi.com

mdpi.com/journal/molecules
molecules@mdpi.com
[X@Molecules_MDPI](#)